



ABCA4 gene

ATP binding cassette subfamily A member 4

Normal Function

The *ABCA4* gene provides instructions for making a protein that is found in the retina, the specialized light-sensitive tissue that lines the back of the eye. Specifically, the ABCA4 protein is produced in the retina's light receptor cells (photoreceptors). The ABCA4 protein is active following phototransduction, the process by which light entering the eye is converted into electrical signals that are transmitted to the brain. Phototransduction leads to the formation of potentially toxic substances that can damage photoreceptor cells. The ABCA4 protein removes one of these substances, called N-retinylidene-PE, from photoreceptor cells.

Health Conditions Related to Genetic Changes

age-related macular degeneration

cone-rod dystrophy

More than 40 mutations in the *ABCA4* gene have been found to cause a vision disorder called cone-rod dystrophy. The problems associated with this condition include a loss of visual sharpness (acuity), an increased sensitivity to light (photophobia), and impaired color vision. These vision problems worsen over time. It is estimated that *ABCA4* gene mutations account for 30 to 60 percent of cases of cone-rod dystrophy that are inherited in an autosomal recessive pattern, which means that both copies of the gene in each cell have mutations.

Most of the *ABCA4* gene mutations that cause cone-rod dystrophy change single protein building blocks (amino acids) in the ABCA4 protein. The altered protein cannot remove N-retinylidene-PE from photoreceptor cells. As a result, N-retinylidene-PE combines with another substance to produce a molecule called N-retinylidene-N-retinylethanolamine (A2E), which builds up in these cells. The buildup of A2E is toxic to photoreceptor cells and leads to their deterioration, causing progressive vision loss in people with cone-rod dystrophy. Cone-rod dystrophy caused by *ABCA4* gene mutations tends to be associated with more severe vision problems than cone-rod dystrophy caused by other genetic mutations.

retinitis pigmentosa

Stargardt macular degeneration


More than 640 mutations in the *ABCA4* gene have been found to cause Stargardt macular degeneration. Mutations in this gene are the most common cause of this eye disease. Stargardt macular degeneration is characterized by vision loss that worsens over time, particularly affecting central and night vision. Most of these mutations change amino acids in the ABCA4 protein. A malfunctioning ABCA4 protein cannot remove N-retinylidene-PE from photoreceptor cells. As a result, N-retinylidene-PE combines with another substance to produce a fatty yellow pigment called lipofuscin, which builds up in retinal cells. The buildup of lipofuscin is toxic to the cells of the retina and causes progressive vision loss in people with Stargardt macular degeneration.

Several *ABCA4* gene mutations have been found to cause different forms of vision loss in different individuals. It is unclear how mutations in the *ABCA4* gene can cause different eye disorders.

Chromosomal Location

Cytogenetic Location: 1p22.1, which is the short (p) arm of chromosome 1 at position 22.1

Molecular Location: base pairs 93,992,837 to 94,121,149 on chromosome 1 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- ABCA4_HUMAN
- ABCR
- ATP-binding cassette sub-family A member 4
- ATP-binding cassette transporter, retinal-specific
- ATP-binding cassette, sub-family A (ABC1), member 4
- photoreceptor rim protein
- retina-specific ABC transporter

- retinal-specific ATP-binding cassette transporter
- RIM ABC transporter
- RIM protein
- RMP

Additional Information & Resources

Educational Resources

- Neuroscience (second edition, 2001): Functional Specialization of the Rod and Cone Systems
<https://www.ncbi.nlm.nih.gov/books/NBK10850/>
- The Human ATP-Binding Cassette (ABC) Transporter Superfamily: ABCA Genes
<https://www.ncbi.nlm.nih.gov/books/NBK3/#A166>
- Webvision: The Organization of the Retina and Visual System (2007): Photoreceptors
<https://www.ncbi.nlm.nih.gov/books/NBK11522/>

GeneReviews

- Nonsyndromic Retinitis Pigmentosa Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1417>

Genetic Testing Registry

- GTR: Genetic tests for ABCA4
<https://www.ncbi.nlm.nih.gov/gtr/all/tests/?term=24%5Bgeneid%5D>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28ABCA4%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

OMIM

- ATP-BINDING CASSETTE, SUBFAMILY A, MEMBER 4
<http://omim.org/entry/601691>
- MACULAR DEGENERATION, AGE-RELATED, 2
<http://omim.org/entry/153800>
- RETINITIS PIGMENTOSA 19
<http://omim.org/entry/601718>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_ABCA4.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=ABCA4%5Bgene%5D>
- HGNC Gene Family: ATP binding cassette subfamily A
<http://www.genenames.org/cgi-bin/genefamilies/set/805>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=34
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/24>
- UniProt
<http://www.uniprot.org/uniprot/P78363>

Sources for This Summary

- OMIM: ATP-BINDING CASSETTE, SUBFAMILY A, MEMBER 4
<http://omim.org/entry/601691>
- Molday RS, Zhang K. Defective lipid transport and biosynthesis in recessive and dominant Stargardt macular degeneration. *Prog Lipid Res.* 2010 Oct;49(4):476-92. doi: 10.1016/j.plipres.2010.07.002. Epub 2010 Jul 13. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20633576>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2946192/>
- Molday RS, Zhong M, Quazi F. The role of the photoreceptor ABC transporter ABCA4 in lipid transport and Stargardt macular degeneration. *Biochim Biophys Acta.* 2009 Jul;1791(7):573-83. doi: 10.1016/j.bbalip.2009.02.004. Epub 2009 Feb 20. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19230850>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2746242/>
- Thiadens AA, Phan TM, Zekveld-Vroon RC, Leroy BP, van den Born LI, Hoyng CB, Klaver CC; Writing Committee for the Cone Disorders Study Group Consortium, Roosing S, Pott JW, van Schooneveld MJ, van Moll-Ramirez N, van Genderen MM, Boon CJ, den Hollander AI, Bergen AA, De Baere E, Cremers FP, Lotery AJ. Clinical course, genetic etiology, and visual outcome in cone and cone-rod dystrophy. *Ophthalmology.* 2012 Apr;119(4):819-26. doi: 10.1016/j.ophtha.2011.10.011. Epub 2012 Jan 20.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22264887>
- Tsybovsky Y, Molday RS, Palczewski K. The ATP-binding cassette transporter ABCA4: structural and functional properties and role in retinal disease. *Adv Exp Med Biol.* 2010;703:105-25. doi: 10.1007/978-1-4419-5635-4_8. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20711710>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2930353/>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/ABCA4>

Reviewed: February 2016

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services